

NEW ZEALAND NOTICES TO MARINERS

Notices NZ 69 – 80

© Crown Copyright 2007. All rights Reserved. Permission is not required to make analogue copies of these Notices but such copies are not to be sold.

CONTENTS

- I [Explanatory Notes.](#)
- II [New Zealand Notices to Mariners.](#)
- III [Corrections to New Zealand Light List.](#)
- IV [Corrections to Sailing Directions and New Zealand Publications.](#)
- V [Navigational Warnings. \(NAVAREA XIV\)](#)
- VI [Corrections to Admiralty List of Radio Signals.](#)

New Zealand Notices to Mariners are the authority for correcting New Zealand charts within the New Zealand area of charting responsibility as shown in Notice No. 1.

Mariners are requested to immediately inform Land Information New Zealand, Private Box 5501 Wellington 6145, New Zealand Phone : 0800 665 463 or (04) 460-0110 Fax: (04) 460-0161 or e-mail: info@linz.govt.nz, of the discovery of new or suspected dangers to navigation, or shortcomings in charts and publications.

Changes or defects in aids to navigation should be reported to the Rescue Coordination Centre New Zealand (RCCNZ) via the nearest New Zealand Coastal Maritime Radio Station Phone : (04) 914-8380 Fax : (04) 914-8388 e-mail: rccnz@maritimenz.govt.nz.

Copies of these Notices can be obtained from Land Information New Zealand, Maritime New Zealand, Principal Chart Agents at the major ports of New Zealand and the Internet: <http://www.linz.govt.nz>

EXPLANATORY NOTES

Charts. The notices in Section II give instructions for the correction of charts. Geographical positions refer to the largest scale chart unless otherwise stated. They are normally given in degrees, minutes and decimals of a minute, but may occasionally quote seconds for convenience when plotting from the graduation of some older-style charts. Bearings are true reckoned clockwise from 000° to 359°; those relating to lights are given as seen by an observer from seaward. Symbols referred are those shown in publication *NZ 201*.

Alterations to depth contours, deletion of depths to make way for new detail, etc. are not mentioned unless they have some navigational significance.

Blocks or notes accompanying notices in Section II are placed after Section VI.

Temporary and Preliminary Notices. These are indicated by (T) or (P) after the notice number. A list of (T) and (P) Notices in force is published in the fortnightly Editions of Notices to Mariners. Charts are not corrected for them before issue; they should be corrected in pencil on receipt.

Light Lists. The detailed correction to the Light List is given in Section III and may not be published in the same edition as the chart correcting notice. The entire entry for each light is printed, and an asterisk (*) is shown under the column which contains an amendment. In the case of a new light, an asterisk (*) appears under all the columns. New and extensively altered entries are intended to be pasted in. It is recommended that a manuscript entry be made for all shorter corrections.

It is emphasized that the List of Lights is the authority for lights and that many alterations, especially those of a temporary but operational nature, may only be promulgated as corrections to the List of Lights.

Radio Signals. When radio signals are affected by a notice the Admiralty List of Radio Signals reference number is quoted. The detailed correction to the List of Radio Signals is given in Section VI and may be published in a later edition than the chart correcting notice.

Sailing Directions Corrections to Sailing Directions are given in Section IV. It is recommended that such corrections be kept together in a file with the latest list of those in force on top. The file can then be consulted when using the parent book to see if any notices affecting the area under consideration are extant.

Corrections should not be pasted into the parent book or Supplement as corrections may be issued between closing date and issue of a new Supplement. These will be embodied in the text of the following Supplement. A summary of corrections in force will be issued in Section IV of the Fortnightly Edition at monthly intervals.

New Zealand Publications. Corrections to New Zealand Publications are given in Section IV.

Correction of Charts and Publications by the User. New Zealand Notices to Mariners contain important information and should be used to keep the specified charts and books up to date.

THE USE OF CHARTS AND ASSOCIATED PUBLICATIONS

Reliance on Charts and Associated Publications. While every effort is made to ensure the accuracy of the information on New Zealand charts and other publications, it should be appreciated that it may not always be complete and up to date. The mariner must be the final judge of the reliance to be placed on the information given, bearing in mind their particular circumstances, local pilotage guidance and the judicious use of available navigational aids.

Charts. Charts should be used with prudence: there are areas where the source data are old, incomplete or of poor quality. The mariner should use the largest scale appropriate for his particular purpose; apart from being the most detailed, the larger scales are usually corrected first. When extensive new information (such as a new hydrographic survey) is received, some months may elapse before it can be fully incorporated in published charts. On small scale charts of ocean areas where hydrographic information is, in many cases, still sparse, charted shoals may be in error as regards position, least depth and extent. Undiscovered dangers may exist, particularly away from well-established routes.

Further guidance. The Mariner's Handbook (NP 100) gives a fuller explanation of the limitations of charts. All users should study it in their own interest.

II

NUMERICAL INDEX OF CHARTS AFFECTED
(NZ NTM Edition No.7 dated 30 March 2007)

NZ Chart No.	NZ Notices	INT Chart No.	Notices
NZ 22	NZ 77(T)	INT 639	NZ 77(T)
NZ 23	NZ 75(T), 77(T)	INT 640	NZ 75(T), 77(T)
NZ 26	NZ 75(T)		
NZ 43	NZ 69		
NZ 46	NZ 75(T)		
NZ 53	NZ 73(T)		
NZ 54	NZ 74(T), 77(T)		
NZ 56	NZ 75(T)		
NZ 57	NZ 75(T)		
NZ 58	NZ 75(T)		
NZ 62	NZ 75(T)		
NZ 222	NZ 77(T)		
NZ 223F	NZ 77(T)		
NZ 522	NZ 73(T)		
NZ 542	NZ 74(T), NZ 77(T)		
NZ 845	NZ 79(T), 80(T)		
NZ 2225	NZ 77(T)		
NZ 2325	NZ 70		
NZ 5321	NZ 73(T)		
NZ 5322	NZ 72(T)		
NZ 5423	NZ 77(T)		
NZ 6422	NZ 76(T)		
NZ 14060	NZ 77(T)	INT 60	NZ 77(T)
NZ 14061	NZ 77(T)	INT 61	NZ 77(T)
NZ 14600	NZ 77(T)	INT 600	NZ 77(T)
NZ 14602	NZ 77(T)	INT 602	NZ 77(T)
NZ 14605	NZ 77(T)	INT 605	NZ 77(T)
NZ 14613	NZ 77(T)	INT 613	NZ 77(T)
NZ 14630	NZ 79(T), 80(T)	INT 630	NZ 79(T), 80(T)
NZ 14631	NZ 79(T), 80(T)	INT 631	NZ 79(T), 80(T)
NZ 14638	NZ 77(T)	INT 638	NZ 77(T)

NEW ZEALAND TEMPORARY AND PRELIMINARY NOTICES IN FORCE

(NZ NTM Edition No.7 dated 30 March 2007)

NZ Notice	T/P	Charts Affected		Locality and Subject
		NZ	INT	
133/01	T	6612		Otago Hr.: Shoaling
154/02	T	534		Aldermen Islands: Shoal
180/03	T	6154		Picton Hr.: Shoal Depths.
129/04	T	52, 53, 522, 5227		Hauraki Gulf: Dredging Operations
194/04	P	46, 48, 61, 463, 614, 6151, 6152, 6153, 6154		Marlborough Sounds – Use of Automated Navigation Systems.
39/05	P	52, 53, 522, 531, 5225		Gt. Barrier Is.: Isolated Danger Buoy.
54/05	T	5322		Auckland Hr. : Works in Progress
110/05	T	8248		Tonga : Light Unlit
159/05	T	5322		Auckland Hr. Bridge: Precautionary Area.
161/05	P	4633, 4634		Wellington Hr.: Navigation Safety Bylaw
173/05	T	53, 54, 531, 534, 5318		Whitianga Hr. : Sandbar
219/05	T	614		Motueka River : Current Meter
237/05	T	5214, 5215		Whangarei Hr.: Light : Works in Progress
240/05	T	6821		Bluff Hr. : Depths
25/06	P	5214, 5215		Whangarei Hr.: Lights
36/06	T	5215		Whangarei Hr.: Shoaling
46/06	P	43, 443		Taranaki Bight: Works in Progress
69/06	T	43, 443		Taranaki Bight: Wave Recorder, Mooring Buoy
104/06	T	4314, 4315		Manukau Hr.: Light Destroyed, Light Buoy
123/06	T	5214, 5215		Whangarei Hr.: Works in Progress
141/06	T	42, 4212		Hokianga Hr. Entrance: Waverider Buoy
149/06	P	827, 8275		Tonga: Fishing & Anchoring Prohibited Areas
162/06	T	42, 43, 4314		Manukau Hr.: Ninepin Rock Light
167/06	T	5322		Waitemata Hr., Devonport: Works in Progress
176/06	T	23, 26, 56, 14060, 14600	60, 600, 640	N. Island, E. Coast: Scientific Instruments
177/06	T			Indian Ocean: Operation 'Enduring Freedom'
185/06	T	4633, 4634		Wellington Hr.: Racing Buoys
186/06	T	661		Approaches to Otago Hr.: Works in Progress
202/06	P	53, 532, 5321, 5322, 5324, 5325		Auckland Hr.: Rangitoto Channel.: Buoys
205/06	T	532, 5324		Tamaki Strait: Motuihe Is.: E. Cardinal Lt Beacon
206/06	P	4265		Kaipara Hr.: Lights, Buoys and Beacons
213/06	P	6153, 6154		Picton Hr.: Lights
218/06	P	48, 61, 614		Tasman, Golden Bays: Spat Catching Areas
219/06	T	14051, 14052, 14060, 14061, 14604, 14605, 14606, 14607, 14629	51, 52, 60, 61, 604, 605, 606, 607, 629 640, 641, 648	North, South Pacific Ocean: Buoys
223/06	T	21, 23, 25, 45, 48, 443		Taranaki Westwards: Drilling Operations
225/06	T	4432		Port Taranaki: Dredging Operations
230/06	P	52, 521, 5214, 5215		Whangarei Hr.: Deepwater Port Extension
234/06	T	56, 561		Hawke Bay: Research Light-Buoy
237/06	T	48, 61, 614		S. Island, N. Coast, Tasman Bay: Buoys
243/06	T	48, 61, 614		S. Island, N. Coast, Golden Bay: Buoys
244/06	T	23, 25, 63, 64	640, 648	Lyttelton Hr.: Waverider Buoy
245/06	T	5322, 5324		Auckland Hr., Rangitoto Channel: Buoys
21/07	T	21, 23, 25, 42, 43, 45, 48	640, 641 648	S. Taranaki Bight., Manukau to Kawhia: Seismic Surveys
22/07	P	43, 443		N. Taranaki Bight, Waitara Northwards: Drilling and pipelaying operations
27/07	T			Maritime Safety Broadcasts
30/07	T	54, 542		Bay of Plenty: Research Instruments.
37/07	T	53, 532, 533, 5327		Firth of Thames: Moorings, Research Instruments
40/07	T	23, 26, 46, 58, 62	640	Cape Palliser SE: Scientific Instruments
42/07	T	4314		Manukau Hr. Entrance: South West Channel
49/07	T	21, 23, 25, 45, 48	640, 641, 648	Taranaki Westwards: Buoys
55/07	P	21, 23, 25, 45, 48	640, 641, 648	Cape Egmont Westwards: Seabed Installation
56/07	T	73		S. Island, W. Coast, Jackson Bay: Dolphin Monitoring Sensors
62/07	T	53, 54, 531, 5318		N. Island, E. Coast, Buffalo Bay: Scientific Instruments
63/07	T	4633		Wellington Harbour: Race Marker Buoys
66/07	T	23, 25, 63, 64, 66, 632, 661	640, 648	Banks to Otago Peninsulas: Seismic Surveys
68/07	T	53, 532, 5324		N. Island, Tamaki Strait: Light-Beacon
76/07	T	6422		S. Island, Timaru Approaches: Light-Buoy



(continued)

(continued)

77/07	T	22, 23, 54, 222, 223F, 542, 2225, 5423, 14060, 14061, 14600, 14602, 14605, 14613, 14638	60, 61, 600, 602, 605, 613, 638, 639, 640	Kermadec Trench: Research Survey Work
80/07	T	845, 14630, 14631	630, 631	Niue Is.: Navigational Aids, Lights


NZ 69/07 NEW ZEALAND – North Island – West Coast – North Taranaki Bight – Parininihi Marine Reserve.

Chart NZ 43 [101/04]

Insert	 <i>Fl(5)Y.20s</i> Y	(a) 38° 50'.2S., 174° 31'.4E. (b) 38° 52'.4S., 174° 28'.9E.
	TTTTT joining	38° 51'.5S., 174° 33'.4E. (shore) (a) to (b) above 38° 53'.2S., 174° 30'.2E.
		38° 51'.7S., 174° 31'.2E.
	legend, <i>Marine Reserve</i>	38° 51'.2S., 174° 27'.1E.

Department of Conservation
 NI 62/2007

RIGHT BELOW CENTRE



<i>Issued as a guide to chart correction.</i>		<i>Use in conjunction with the appropriate NZ Notice to Mariners.</i>	
LAST CORRECTION	NZ NTM No.	CHART No.	
NZ 101/04	NZ 69/07	NZ 43	

NZ 70/07 NEW ZEALAND – North Island – Lake Taupo – Motuoapa Bay – Lights.


Chart NZ 2325 (plan, Motuoapa Bay) [144/06]

Amend character of light to, F.Y. 38° 55'.94S., 175° 52'.35E.

Amend character of light to, Iso.Y.2s 38° 55'.95S., 175° 52'.35E.

Lake Taupo Harbourmaster
 NI 65/2007

PLAN: MOTUOAPA BAY
BELOW CENTRE



<i>Issued as a guide to chart correction.</i>		<i>Use in conjunction with the appropriate NZ Notice to Mariners.</i>	
LAST CORRECTION	NZ NTM No.	CHART No.	
NZ 144/06	NZ 70/07	NZ 2325	

NZ 71/07 NEW ZEALAND PUBLICATIONS – Cumulative List of New Zealand Notices to Mariners.

The Cumulative List of New Zealand Notices to Mariners, corrected up to Edition 7/07 dated 30 March 2007 is attached as an accompanying supplement to this Edition.

Land Information New Zealand
NI 63/2007

**NZ 72(T)/07 NEW ZEALAND – North Island – East Coast – Auckland Harbour – Calliope Wharves –
Buoys.**

Former Notice – NZ 204(T)/06 is cancelled.

Cancel this notice on receipt.

Chart formerly affected – NZ 5322

Auckland Regional Council
NI 69/2007

**NZ 73(T)/07 NEW ZEALAND – North Island – East Coast – Hauraki Gulf – Mahurangi Harbour –
Scientific Instruments.**

Former Notice – NZ 208(T)/05 is cancelled.

Cancel this notice on receipt.

Charts formerly affected – NZ 53 – NZ 522 – NZ 5321

NIWA

NI 64/2007

**NZ 74(T)/07 NEW ZEALAND – North Island – East Coast – Opotiki – Waioeka River Entrance –
Current Meter.**

Former Notice – NZ 232(T)/06 is cancelled.

Cancel this notice on receipt.

Charts formerly affected – NZ 54 – NZ 542

Cawthron Institute
NI 61/2007

**NZ 75(T)/07 NEW ZEALAND – North Island – East Coast – Mahia Peninsula to Cape Palliser –
Research Survey Work.**

Former Notice – NZ 57(T)/07 is cancelled.

Cancel this notice on receipt.

Charts formerly affected – NZ 23 (INT 640) – NZ 26 – NZ 46 – NZ 56 – NZ 57 – NZ 58 – NZ 62

RV Sonne
NI 66/2007

NZ 76(T)/07 NEW ZEALAND – South Island – East Coast – Timaru Approaches – Light- Buoy.

1. Port hand buoy, FI(3)R.10s, in position 44° 23'.12S., 171° 17'.36E has been temporarily removed for maintenance.
2. Mariners are requested to navigate with caution in the area.

Chart temporarily affected – NZ 6422

Primeport Timaru
NI 68/2007

NZ 77(T)/07 NEW ZEALAND – Kermadec Trench – Research Survey Work.

1. The *RV SONNE* (call sign DFCG) is undertaking survey work until the end of April 2007 in the area bounded by the following coordinates:

27° 00'S., 177° 00'E.
37° 30'S., 177° 00'E.
37° 30'S., 178° 30'E.
38° 00'S., 175° 00'W.
27° 00'S., 175° 00'W.

2. All vessels are requested to pass at least 1NM clear of the *RV SONNE*.

Charts temporarily affected – NZ 22 (INT 639) – NZ 23 (INT 640) – NZ 54 – NZ 222 – NZ 223F – NZ 542 – NZ 2225 – NZ 5423 – NZ 14060 (INT 60) – NZ 14061 (INT 61) – NZ 14600 (INT 600) – NZ 14602 (INT 602) – NZ 14605 (INT 605) – NZ 14613 (INT 613) – NZ 14638 (INT 638)

RV Sonne
NI 70/2007

NZ 78(T)/07 AUSTRALIA – North Coast – Torres Strait – Revised Pilotage Requirements.

Former Notice – NZ 156(P)/06 is cancelled.

Cancel this notice on receipt.

UKHO Wk 40/06
NI 60/2007

NZ 79(T)/07 SOUTH PACIFIC – Niue Island – Alofi Bay – Navigation Aids – Lights.

Former Notice – NZ 147(T)/06 is cancelled.

Cancel this notice on receipt.

Charts formerly affected – NZ 845 – NZ 14630 (INT 630) – NZ 14631 (INT 631)

Government of Niue
BA Light List K4656, 4656.1, 4660
NI 58/2007

NZ 80(T)/07 SOUTH PACIFIC – Niue Island – Alofi Bay – Navigation Aids – Lights.

The following lights are reported as being unlit

1. Alofi Bay leading lights, F.R. & F.R. in position 19° 03'.2S., 169° 55'.2W.
2. Alofi North light, Fl.10s in position 19° 02'.7S., 169° 55'.1W.

Charts temporarily affected – NZ 845 – NZ 14630 (INT 630) – NZ 14631 (INT 631)

Government of Niue
BA Light List K4656, K4656.1, K4660
NI 59/2007

III

CORRECTIONS TO NEW ZEALAND LIGHT LIST

(NZ NTM Edition No.7 dated 30 March 2007)

**NEW ZEALAND NAUTICAL ALMANAC 2006/07
LIGHT LIST SECTION**

Nil

IV

CORRECTIONS TO PUBLICATIONS

(NZ NTM Edition No.7 dated 30 March 2007)

Nil

V

NAVIGATIONAL WARNINGS

Navarea XIV warnings in force 28 March 2007

NAVAREA XIV

(South West Pacific)

049/06 SOUTH PACIFIC. VOLUNTARY SHIP REPORTING SYSTEM IN THE NEW ZEALAND SEARCH AND RESCUE AREA SOUTH OF 60° SOUTH

1. The New Zealand Search and Rescue authorities have established a voluntary ship reporting system for all vessels operating in the NZSAR region south of 60° south for the purposes of assisting the SAR authority in coordinating SAR operations in that area.
2. Area covered: 60°S to the southern edge of the Ross Sea bounded by 163°E to 131°W.
3. All vessels are requested to notify Taupo Maritime Radio on entry and departure into the area and are also encouraged to make daily position reports. Information provided will be used for SAR purposes only.
4. Taupo Maritime Radio can be contacted on Inmarsat C 582 451 200 067, HF, email maritime@kordia.co.nz or 00 64 4 914 8333

005/07 SOUTH PACIFIC OCEAN. TONGA. VOLCANIC ACTIVITY. INT CHART 605

1. A new active volcanic island is reported in position 18 59S, 174 46W.
2. Vessels advised to navigate with caution in this area.

007/07 SOUTH PACIFIC OCEAN. TONGA. VOLCANIC ACTIVITY. INT CHART 631

1. Volcanic activity reported in position 20 51.3S 175 33.1W
2. Smoke visible on surface, no floating pumice reported.

010/07 SOUTH PACIFIC. FIJI LIGHTS. INT CHART 638

Following light reported unlit: Navula Point K4706 17 53.2s 177 15.2e.

016/07 SOUTH PACIFIC. INT CHART 61

1. Area temporarily dangerous to navigation due to space vehicle "progress" elements falling from 272230 to 272400 and 282130 to 282300 UTC MAR 2007.

Area bounded by 35 45S 154 38W, 33 23S 145 36W, 40 07S 135 21W,
49 13S 108 52W, 51 24S 109 31W, 52 08S 113 56W, 46 00S 141 22W,
39 42S 153 23W

VI

CORRECTIONS TO ADMIRALTY LIST OF RADIO SIGNALS

(NZ NTM Edition No.7 dated 30 March 2007)

Nil



CUMULATIVE LIST OF NEW ZEALAND NOTICES TO MARINERS

March 2007

GENERAL INFORMATION

This list records the date of issue of the current edition of each chart and of subsequent relevant New Zealand Notices to Mariners up to and including **Edition No. 7 of 30 March 2007**. Users of this list are reminded that the authoritative source for information concerning current editions of New Zealand charts and the corrections that affect them are the Editions of New Zealand Notices to Mariners.

THE CURRENT EDITION OF A CHART

When a new chart or new edition is published the date of publication is shown in the bottom outside margin of the chart. A new edition of a chart, on being published and issued as notified by a Notice to Mariners, becomes the current edition and the previous edition is superseded. Withdrawn charts and superseded editions should not be used for navigation; nor should current editions that have not been corrected for relevant Notices to Mariners.

Published by Land Information New Zealand
For further information contact LINZ Hydrographic Services
Land Information New Zealand, P.O. Box 5501
Wellington 6145, New Zealand
Phone: 0800 665 463 or (04) 460 0110
Fax: (04) 460 0161
E-mail: info@linz.govt.nz
Internet site: <http://www.linz.govt.nz>

NZ 21 (INT 641)	Apr 2005	2005-163-248, 2006-23, 2007-26
NZ 22 (INT 639)	Apr 2005	
NZ 23 (INT 640)	Apr 2005	2005-163, 2006-23-32, 2007-26
NZ 24	Apr 2005	
NZ 25 (INT 648)	Apr 2005	2005-163, 2006-34-114 -145, 2007-26
NZ 26	Apr 2005	2005-163, 2006-32
NZ 27	Apr 2005	
NZ 28	Apr 2005	
NZ 29	Apr 2005	2005-206
NZ 31	Apr 2005	
NZ 41	Jan 2003	2003-119, 2004-219, 2005-135
NZ 42	Apr 2001	2003-119, 2004-219, 2005-135
NZ 43	Jun 1999	1999-326, 2000-201-208, 2002-118, 2003-143, 2004-101, 2007-69
NZ 45	Jul 2001	2003-114-149, 2004-100, 2006-128-160, 2007-26
NZ 46	Jul 2000	2000-365-417-420, 2001-153-204-205, 2002-104, 2003-57-131-149-175, 2004-29-53-80, 2005-49-127-245
NZ 48	Apr 2000	2000-417-420, 2001-167-195-241, 2003-29-114-131-143-149, 2004-108-109-126, 2006-128-160, 2007-26-53
NZ 51	Apr 2001	2003-119, 2004-219, 2005-135, 2007-45
NZ 52	Jul 2004	2005-167, 2006-23
NZ 53	Mar 2002	2002-67-93-135, 2003-66-141-155-172, 2004-57-70-106-164, 2005-133-167-189, 2006-199-215
NZ 54	Jul 1997	1997-333, 1998-109-122-123-233, 2000-220-338-402, 2002-25-94-135, 2003-142, 2005-95
NZ 55	Apr 1998	2000-176-253, 2002-94, 2004-47-88
NZ 56	Sep 2001	2006-32-79-227, 2007-25
NZ 57	Sep 2001	
NZ 58	Sep 2001	
NZ 61	Apr 1999	1999-452, 2000-420, 2001-153-195-241-248, 2002-143, 2003-29-120, 2004-89-109-207, 2006-43-161, 2007-53
NZ 62	Apr 1998	1998-255-355, 1999-90-284, 2001-204, 2002-104, 2003-175, 2004-29-53
NZ 63	Apr 1998	1998-255-355-402, 1999-90-200-284-302, 2000-275-296-403, 2002-104
NZ 64	Mar 2003	2006-34-53 -145-229-240
NZ 66	Jan 2003	2006-34-53-114 -145
NZ 68	Jan 2003	2004-208, 2006-114-172-173
NZ 69	Jul 2001	2002-68-69, 2003-91, 2004-208, 2006-172-173
NZ 71	Mar 2002	2005-63-113
NZ 72	Mar 2002	
NZ 73	Mar 2002	
NZ 76	Jul 2001	2003-111
NZ 82 (T 82)	Oct 1993	1994-77-92-182-222-228-298-353, 1995-20-34-35-118-191-214-220-231-236, 1996-278, 1997-97, 1998-409, 1999-327-418, 2000-51, 2002-27, 2005-103
NZ 86	Oct 1993	1994-36, 1995-225, 1998-32-304-305-325, 1999-364, 2003-97
NZ 93	Oct 1997	2002-72-73
NZ 222	Apr 1994	1994-209, 1995-147-161, 1996 -148
NZ 223 F	Apr 1999	2000-80-259-268, 2003-132-156, 2005-248
NZ 224 F	Apr 1999	2006-114-145
NZ 232	Jun 2006	
NZ 252	Oct 2006	
NZ 268	Oct 1995	1996-165-343, 1997-112-132-396, 1999-137-252, 2001-197, 2002-70, 2004-111
NZ 286	Apr 1992	1994-158-209-321, 2000-21
NZ 443	Jul 2001	2002-118, 2003-143, 2004-101, 2006-128-160, 2007-26
NZ 463	Jul 2000	2000-365, 2001-205, 2002-79-104, 2003-57-131, 2004-53-80-90, 2005-49-127-245, 2006-113-127
NZ 512	Dec 1999	2001-107-214, 2006-66, 2007-45
NZ 521	Jul 2004	2004-217, 2006-23

NZ 522	Sep 1999	2000-116-260-390, 2001- 239, 2003-141, 2004-46-106-155, 2005-47-167
NZ 531	Dec 1999	2000-437, 2001-237, 2002-135, 2003-141, 2004-78. 2005-190
NZ 532	Sep 1999	2000-104-339-347-390-436-437, 2001-36-177-181, 2002-32-49-78-93, 2003-28-66-148-155-172, 2004-107-156-164, 2005-47-101-133-189-232-244, 2006-96-111-126-198-199-215-239, 2007-24
NZ 533	Dec 1999	2001-177, 2002-49-78-93, 2003-28, 2004-157, 2005-76-77-189, 2006-126-170-191
NZ 534	Dec 1999	1999-471, 2001-237, 2002-135, 2004-70
NZ 541	Jan 1998	1998-436, 2000-220-378, 2002-24-25, 2003-142, 2004-171-172, 2005-95
NZ 542	Apr 1997	1998-122-123-233, 1999-23, 2000-220-338-378,
NZ 561	Oct 2006	2006-228
NZ 614	Jan 1999	2000-84-409-418, 2001-153-195-248, 2002-143, 2003-29-43-107, 2004-49-53-207, 2005-155-165, 2006-43-161, 2007-53
NZ 615	Apr 1999	1999-276-376-400-424-452, 2000-93-355-417-420, 2001-76, 2002-62-104, 2003-57, 2004-49-53-80-110, 2005-62, 2006-113, 2007-61
NZ 632	Jun 2000	2000-296-403, 2001-228, 2005-205-246
NZ 661	Jun 2000	2002-128, 2003-101, 2004-23 -2006 -145
NZ 681	Jul 2000	2002-68-69, 2004-184-208, 2006-172-173
NZ 827 (T 827)	Oct 1998	1999-327, 2000-51, 2003-177, 2005-103
NZ 845	Jul 1996	1999-319,
NZ 865	Oct 1993	1998-304-325, 2003-97
NZ 885	Jan 1997	
NZ 945	Oct 1995	2001-84, 2002-71
NZ 955	Oct 1993	1994-209, 1995-284, 1997-397, 2001-85, 2002-73
NZ 1414	Oct 1980	1983-165-174, 1990-87-192, 1991-23, 2001-242
NZ 2225	Apr 1994	1994-209-254-279, 1995-147,
NZ 2325	Jun 2006	2006-144, 2007-70
NZ 2411	Jul 2000	2004-71
NZ 2681	Oct 1995	1997-132,
NZ 2862	Apr 1992	1993-37, 1994-158-209,
NZ 3111	Apr 1992	1992-335, 1993-38-91-92, 1994-209, 1995-282, 2000-364,
NZ 4111	Jan 2003	
NZ 4212	Apr 2001	2001-226, 2006-216
NZ 4265	Oct 1995	1995-381, 1996-210, 2000-267, 2005-233-247, 2006-81-200
NZ 4314	Jun 2004	2004-176, 2005-177, 2006-129
NZ 4315	Oct 2004	2004-226, 2005-20-48, 2006-80
NZ 4421	Jul 2001	2003-143
NZ 4423	Jul 2001	
NZ 4424	Jul 2001	2004-102
NZ 4432	Jul 1997	2002-51-159, 2003-143
NZ 4541	Apr 1995	2001-110, 2003-114-149
NZ 4631	Jan 2000	2003-131-149
NZ 4632	Jul 2000	2003-131
NZ 4633	Jul 2000	2001-165-205, 2002-79-104, 2003-58-67, 2004-158-218, 2005-49-96-127-221-245, 2006-127
NZ 4634	Jul 2000	2001-165-194, 2003-58-67, 2004-158-216-218, 2005-89-127-221, 2006-159
NZ 5111	Apr 2001	2003-51, 2004-26-87
NZ 5113	Apr 2001	
NZ 5114	Apr 2001	
NZ 5121	Oct 1994	
NZ 5124	Jul 1994	1994-287-314, 1995-240-290-317, 1996-80-144-182-285-291-407, 1997-145-206-214, 1998-108-394, 2000-346-398, 2001-107-214, 2003-153, 2004-56-189, 2005-117-137-175, 2007-33-51
NZ 5125	Jul 1994	1995-30, 1996-80, 1997-20-206, 1998-296-403, 2000-346, 2001-214, 2005-117-118, 2006-66, 2007-45-51
NZ 5212	Sep 1999	2003-154, 2005-167
NZ 5214	Jul 2004	2005-53, 2005-163, 2006-189

NZ 5215	Jul 2004	2005-53-112-220-243, 2006-180-189-197
NZ 5225	Oct 1997	1998-268, 1999-109-232-374, 2000-219, 2003-141
NZ 5227	Jan 1996	1996-156, 1997-401, 1998-101, 1999-38, 2000-104-390, 2001-239, 2004-106, 2005-47-166-167
NZ 5318	Sep 2001	2002-135, 2004-70, 2005-190, 2006-208
NZ 5321	Dec 03	2004-156, 2005-232, 2006-42-111-198-215-239, 2007-24
NZ 5322	Sep 2001	2001- 246, 2002-20, 2003-73-148-155, 2004-156-170-190, 2005-168, 2006-42-58-134-190-226-239, 2007-24-60
NZ 5324	Oct 2002	2003-28-66-148, 2004-107-124, 2005-101-133-189-197-244, 2006-96-111-112-190-198-215-226-239
NZ 5325	Jul 1994	1997-355-382, 1998-173-202-332, 1999-442, 2000-347, 2001-121, 2003-148, 2004-163, 2005-197
NZ 5327	Mar 2005	2005-77, 2006-126
NZ 5328	Mar 2005	2006-126
NZ 5411	Jul 2004	2005-78-95
NZ 5412	Oct 2004	2005-78-95
NZ 5413	Jan 1998	1998-362, 2000-220-425, 2002-24-25, 2003-142-185, 2004-171-172, 2005-95
NZ 5423	Jul 2001	
NZ 5551	Apr 1997	
NZ 5612	Oct 2006	2006-228, 2007-46-52
NZ 5613	Jan 1998	2000-329, 2001-109, 2003-42-84, 2004-47-99-141, 2005-134, 2006-52-78-158-171
NZ 6142	Jan 1998	1999-99-246-265-377, 2000-234, 2001-29-30-112-153, 2002-143, 2003-100, 2005-156, 2006-43-161, 2007-53
NZ 6143	Apr 2002	
NZ 6151	Apr 1998	1999-120-452, 2000-420, 2001-76-196, 2004-49-53
NZ 6152	Apr 1998	1998-303-334, 1999-120-185-276-452, 2001-62-76, 2002-62, 2004-49-53-173, 2005-146
NZ 6153	Jul 2000	2003-90-187, 2004-53-110, 2005-61-62, 2006-209, 2007-34-61
NZ 6154	Jul 2000	2003-90, 2004-53-125, 2005-204, 2006-209, 2007-34
NZ 6212	May 1999	1999-293, 2000-356, 2002-104, 2003-57, 2004-53-60
NZ 6321	Jun 2000	2000-379-403, 2001-154-228, 2002-55-63, 2004-81-174, 2005-178, 2006-33
NZ 6324	Jan 1999	1999-433, 2001-111-123, 2005-246
NZ 6422	Jun 2004	2004-177, 2006-135-240-241
NZ 6433	Apr 2003	
NZ 6612	Jul 2004	2005-102-157
NZ 6821	Jan 2000	2001-206, 2003-121-176, 2004-134-184-196
NZ 6823	Jul 2000	2001-64, 2002-33-69-85, 2005-222, 2006-173
NZ 6912	Jul 2001	2003-91, 2004 -82
NZ 7132	Mar 2005	
NZ 7142	Oct 1994	1997-263,
NZ 7622	Oct 1998	1999-24-284, 2004-227, 2005-64, 2006-54
NZ 7623	Apr 1999	2005-64, 2006-54
NZ 7624	Apr 1999	2005-79, 2006-67
NZ 7653	Jan 1997	1997-168, 1998 -151-298, 1999-410, 2005-90, 2006-59
NZ 7654	Mar 2002	2002-108, 2005-90, 2006-54-89
NZ 8215 (T 8215)	Jan 1996	
NZ 8234 (T 8234)	Oct 1993	1994-77
NZ 8235 (T 8235)	Oct 1993	2004-31
NZ 8238 (T 8238)	Apr 2005	2005-88-116
NZ 8247 (T 8247)	Oct 1993	1994-182-266, 1998 -180-378, 2005-97-129
NZ 8248 (T 8248)	Oct 1993	1994-182-266, 1995-262, 1998-180-378, 2005-97-129
NZ 8259 (T 8259)	Jul 1993	
NZ 8266 (T 8266)	Jul 1993	1993-304, 1994-87-106-346, 1995-181, 1997-298, 1998-409
NZ 8275 (T 8275)	Jul 1997	1998-30-75-179-343, 1999 -301, 2003-177, 2005-164
NZ 8655	Oct 1993	1997-324, 1998-240-342, 2004-165
NZ 8685	Oct 1993	1995-203-224, 1996-30-280, 1997-154-169, 1998-32, 2004-166

<i>Chart Number</i>	<i>Current Edition</i>	<i>Notices to Mariners Affecting Chart</i>
NZ 9558	Oct 1992	1994-209, 1995-126-269-357, 2002-72-95, 2003-160
NZ 14051 (INT 51)	Jan 1997	1997-370, 2000-43-44 -92-357-426, 2001-124, 2004-94-135, 2005-140-158-183, 2006-137-151
NZ 14052 (INT 52)	Apr 1997	1997 -264-340-377, 1998-134-181-220, 1999-80-219, 2000 -74-102-163-178-244-276-277-357-410-427, 2001-51-57, 2002-58-59-96, 2004-73-93, 2005-28-80-81-158-182-199-201-214-215-251-252, 2006-35-55-60-98-99-116-164-165-166-174-181-221, 2007-36
NZ 14060 (INT 60)	Jan 1997	1997-138-144-170-196-264-283-300-340, 1998-85-142-195-220-234-248-316-344-392, 1999-80-101-167-218-411-418-435, 2000 – 52-74-95-112-129-190-243-244-252-302, 2001-51-144-168, 2002-34-42-56-58, 2003-125-133-156, 2004-40-61-62-63-65-66-73, 2005-25-26-28-35-37-81-138-179-180-199-213-214-234-235-248-250-251, 2006-60-90-97-98-115-130-164-165-166, 2007-36-47
NZ 14061 (INT 61)	Jan 1997	1997-120-144-170-196-283-291-300, 1998-85-142-195-220-234-316-392, 1999-101-167-213-218-239-418, 2000-44-65-74-95-126-129-140-274-302-311-374-380-391, 2001-51-124-135-168-169, 2002-34-58, 2003-125-128-156, 2004-64-127-142-167-179, 2005-28-35-147-234-235-248, 2006-181, 2007-47
NZ 14065 (INT 65)	Jan 1997	1997-162-178, 1998 -152-195-392, 1999-137-320-338, 2002-74, 2004-103, 2005-235
NZ 14600 (INT 600)	Jan 1997	1997-215, 1998-172-195-239-392, 1999-137-218-225-320, 2000-21-133-243, 2001-247-256, 2003-125-156, 2005-35-234-235-248, 2006-114 -145
NZ 14601 (INT 601)	Apr 1997	1997-215, 1998-195-239, 1999-225, 2000-52-133-235-236, 2001-247-256, 2002-42-43, 2004-61-72-83-84-112, 2005-25-139-213-235, 2006-68-90-114 -145, 2007-35
NZ 14602 (INT 602)	Jan 1997	1997-122-144-170-300, 1998-85-142-383, 1999-81-167-218-366-411, 2000-94-95-140-190-294-328, 2001-86-144, 2002-34-42-56, 2003-125, 2004-30-39-40-91-159, 2005-26-27-35-36-138-179-198-223-235-248-249, 2006-24-115-136
NZ 14604 (INT 604)	Oct 1996	1997-21-144-163-277, 1998-125-220, 1999-81, 2000-94-95-129-190-300-302, 2001-86-168-2002-34-42-56-57-58, 2003-133-150, 2004-40-50-63-67-91-92, 2005-27-37-81-179-180-198-214-223-250, 2006-100-150-164, 2007-36
NZ 14605 (INT 605)	Apr 1997	1997-196-283, 1998-132-172-234-239-290-316, 1999-81-327-418, 2000-22-23-74-129-139-140-302-309, 2001-51-168, 2002-27-34-58, 2003-156, 2004-55, 2005-28-223-234-235, 2006-181, 2007-47
NZ 14606 (INT 606)	Jan 1997	1997-138-283, 1999-239, 2000-114-145-311-380, 2001-51-135-169, 2002-27, 2004-64-127-142-167-178, 2005-28-148-181-200, 2006-181
NZ 14607 (INT 607)	Apr 1997	1997-278, 1999-201-213, 2000-65-311-374-380-391, 2001-124-135-169, 2002-113, 2003-128, 2004-64-127-135-142-167-178-179, 2005-148, 2006-131-181
NZ 14612	Apr 1999	
NZ 14613	Apr 1999	2000-154, 2001-135, 2004-74
NZ 14629 (INT 629)	Apr 1997	1998-212, 2000-161, 2001-51, 2002-120, 2005-28
NZ 14630 (INT 630)	Apr 1997	1997-283, 2000-169, 2001-51, 2002-72-73-120
NZ 14631 (INT 631)	Apr 1997	1997-283, 1998-132-234, 1999-327, 2000-74-175, 2001-51, 2002-27-120, 2004-41, 2005-28
NZ 14638 (INT 638)	Oct 1996	1997-196, 1998 -132-234-290-316-317, 1999-81-327-367, 2000-22-23-129-320, 2002-34, 2003-127-156, 2004-41, 2005-223, 2007-47
NZ 14900 (INT 900)	Apr 1998	2002-74, 2003-126
NZ 14906 (INT 9006)	Aug 2006	
NZ 14907 (INT 9007)	Aug 2006	
NZ 14908 (INT 9008)	Aug 2006	
NZ 14909 (INT 909)	Jun 2004	
NZ 14912 (INT 9012)	Aug 2006	