

NEW ZEALAND NOTICES TO MARINERS

Notices

NZ 137 – 146

© Crown Copyright 2007. All rights Reserved. Permission is not required to make analogue copies of these Notices but such copies are not to be sold.

CONTENTS

- I [Explanatory Notes.](#)
 - II [New Zealand Notices to Mariners.](#)
 - III [Corrections to New Zealand Light List.](#)
 - IV [Corrections to Sailing Directions and New Zealand Publications.](#)
 - V [Navigational Warnings. \(NAVAREA XIV\)](#)
 - VI [Corrections to Admiralty List of Radio Signals.](#)
-

New Zealand Notices to Mariners are the authority for correcting New Zealand charts within the New Zealand area of charting responsibility as shown in Notice No. 1.

Mariners are requested to immediately inform Land Information New Zealand, Private Box 5501 Wellington 6145, New Zealand Phone : 0800 665 463 or (04) 460-0110 Fax: (04) 460-0161 or e-mail: info@linz.govt.nz, of the discovery of new or suspected dangers to navigation, or shortcomings in charts and publications.

Changes or defects in aids to navigation should be reported to the Rescue Coordination Centre New Zealand (RCCNZ) via the nearest New Zealand Coastal Maritime Radio Station Phone : (04) 914-8380 Fax : (04) 914-8388 e-mail: rccnz@maritimenz.govt.nz.

Copies of these Notices can be obtained from Land Information New Zealand, Maritime New Zealand, Principal Chart Agents at the major ports of New Zealand and the Internet: <http://www.linz.govt.nz>

EXPLANATORY NOTES

Charts. The notices in Section II give instructions for the correction of charts. Geographical positions refer to the largest scale chart unless otherwise stated. They are normally given in degrees, minutes and decimals of a minute, but may occasionally quote seconds for convenience when plotting from the graduation of some older-style charts. Bearings are true reckoned clockwise from 000° to 359°; those relating to lights are given as seen by an observer from seaward. Symbols referred are those shown in publication *NZ 201*.

Alterations to depth contours, deletion of depths to make way for new detail, etc. are not mentioned unless they have some navigational significance.

Blocks or notes accompanying notices in Section II are placed after Section VI.

Temporary and Preliminary Notices. These are indicated by (T) or (P) after the notice number. A list of (T) and (P) Notices in force is published in the fortnightly Editions of Notices to Mariners. Charts are not corrected for them before issue; they should be corrected in pencil on receipt.

Light Lists. The detailed correction to the Light List is given in Section III and may not be published in the same edition as the chart correcting notice. The entire entry for each light is printed, and an asterisk (*) is shown under the column which contains an amendment. In the case of a new light, an asterisk (*) appears under all the columns. New and extensively altered entries are intended to be pasted in. It is recommended that a manuscript entry be made for all shorter corrections.

It is emphasized that the List of Lights is the authority for lights and that many alterations, especially those of a temporary but operational nature, may only be promulgated as corrections to the List of Lights.

Radio Signals. When radio signals are affected by a notice the Admiralty List of Radio Signals reference number is quoted. The detailed correction to the List of Radio Signals is given in Section VI and may be published in a later edition than the chart correcting notice.

Sailing Directions Corrections to Sailing Directions are given in Section IV. It is recommended that such corrections be kept together in a file with the latest list of those in force on top. The file can then be consulted when using the parent book to see if any notices affecting the area under consideration are extant.

Corrections should not be pasted into the parent book or Supplement as corrections may be issued between closing date and issue of a new Supplement. These will be embodied in the text of the following Supplement. A summary of corrections in force will be issued in Section IV of the Fortnightly Edition at monthly intervals.

New Zealand Publications. Corrections to New Zealand Publications are given in Section IV.

Correction of Charts and Publications by the User. New Zealand Notices to Mariners contain important information and should be used to keep the specified charts and books up to date.

THE USE OF CHARTS AND ASSOCIATED PUBLICATIONS

Reliance on Charts and Associated Publications. While every effort is made to ensure the accuracy of the information on New Zealand charts and other publications, it should be appreciated that it may not always be complete and up to date. The mariner must be the final judge of the reliance to be placed on the information given, bearing in mind their particular circumstances, local pilotage guidance and the judicious use of available navigational aids.

Charts. Charts should be used with prudence: there are areas where the source data are old, incomplete or of poor quality. The mariner should use the largest scale appropriate for his particular purpose; apart from being the most detailed, the larger scales are usually corrected first. When extensive new information (such as a new hydrographic survey) is received, some months may elapse before it can be fully incorporated in published charts. On small scale charts of ocean areas where hydrographic information is, in many cases, still sparse, charted shoals may be in error as regards position, least depth and extent. Undiscovered dangers may exist, particularly away from well-established routes.

Further guidance. The Mariner's Handbook (NP 100) gives a fuller explanation of the limitations of charts. All users should study it in their own interest.

II

NUMERICAL INDEX OF CHARTS AFFECTED

(NZ NTM Edition No. 14 dated 6 July 2007)

NZ Chart No.	NZ Notices	INT Chart No.	Notices
NZ 22	NZ 142(T)	INT 639	NZ 142(T)
NZ 23	NZ 142(T)	INT 640	NZ 142(T)
NZ 25	NZ 142(T)	INT 648	NZ 142(T)
NZ 26	NZ 142(T)		
NZ 46	NZ 142(T)		
NZ 48	NZ 143(T)		
NZ 54	NZ 142(T)		
NZ 55	NZ 142(T)		
NZ 56	NZ 142(T)		
NZ 58	NZ 142(T)		
NZ 61	NZ 143(T)		
NZ 62	NZ 142(T)		
NZ 82	NZ 140	T 82	NZ 140
NZ 223F	NZ 142(T)		
NZ 443	NZ 138		
NZ 561	NZ 142(T)		
NZ 827	NZ 145(T)	T 827	NZ 145(T)
NZ 5322	NZ 141(T)		
NZ 5612	NZ 142(T)		
NZ 6321	NZ 144(T)		
NZ 6821	NZ 146(T)		
NZ 8275	NZ 139, 145(T)	T 8275	NZ 139, 145(T)
NZ 14060	NZ 140, 142(T)	INT 60	NZ 140, 142(T)
NZ 14061	NZ 140	INT 61	NZ 140
NZ 14600	NZ 142(T)	INT 600	NZ 142(T)
NZ 14605	NZ 140, 142(T)	INT 605	NZ 140, 142(T)
NZ 14606	NZ 140	INT 606	NZ 140
NZ 14631	NZ 140	INT 631	NZ 140

NEW ZEALAND TEMPORARY AND PRELIMINARY NOTICES IN FORCE

(NZ NTM Edition No.14 dated 6 July 2007)

NZ Notice	T/P	Charts Affected		Locality and Subject
		NZ	INT	
133/01	T	6612		Otago Hr.: Shoaling
180/03	T	6154		Picton Hr.: Shoal Depths.
129/04	T	52, 53, 522, 5227		Hauraki Gulf: Dredging Operations
194/04	P	46, 48, 61, 463, 614, 6151, 6152, 6153, 6154		Marlborough Sounds – Use of Automated Navigation Systems.
39/05	P	52, 53, 522, 531, 5225		Gt. Barrier Is.: Isolated Danger Buoy.
54/05	T	5322		Auckland Hr. : Works in Progress
110/05	T	8248		Tonga : Light Unlit
159/05	T	5322		Auckland Hr. Bridge: Precautionary Area.
161/05	P	4633, 4634		Wellington Hr.: Navigation Safety Bylaw
173/05	T	53, 54, 531, 534, 5318		Whitianga Hr. : Sandbar
219/05	T	614		Motueka River : Current Meter
237/05	T	5214, 5215		Whangarei Hr.: Light : Works in Progress
240/05	T	6821		Bluff Hr. : Depths
25/06	P	5214, 5215		Whangarei Hr.: Lights
36/06	T	5215		Whangarei Hr.: Shoaling
104/06	T	4314, 4315		Manukau Hr.: Light Destroyed, Light Buoy
123/06	T	5214, 5215		Whangarei Hr.: Works in Progress
141/06	T	42, 4212		Hokianga Hr. Entrance: Waverider Buoy
176/06	T	23, 26, 56, 14060, 14600	60, 600, 640	N. Island, E. Coast: Scientific Instruments
177/06	T			Indian Ocean: Operation 'Enduring Freedom'
186/06	T	661		Approaches to Otago Hr.: Works in Progress
205/06	T	532, 5324		Tamaki Strait: Motuihe Is.: E. Cardinal Lt Beacon
213/06	P	6153, 6154		Picton Hr.: Lights
219/06	T	14051, 14052, 14060, 14061, 14604, 14605, 14606, 14607, 14629	51, 52, 60, 61, 604, 605, 606, 607, 629	North, South Pacific Ocean: Buoys
225/06	T	4432		Port Taranaki: Dredging Operations
230/06	P	52, 521, 5214, 5215		Whangarei Hr.: Deepwater Port Extension
234/06	T	56, 561		Hawke Bay: Research Light-Buoy
244/06	T	23, 25, 63, 64	640, 648	Lyttelton Hr.: Waverider Buoy
30/07	T	54, 542		Bay of Plenty: Research Instruments.
37/07	T	53, 532, 533, 5327		Firth of Thames: Moorings, Research Instruments
40/07	T	23, 26, 46, 58, 62	640	Cape Palliser SE: Scientific Instruments
42/07	T	4314		Manukau Hr. Entrance: South West Channel
56/07	T	73		S. Island, W. Coast, Jackson Bay: Dolphin Monitoring Sensors
63/07	T	4633		Wellington Harbour: Race Marker Buoys
80/07	T	845, 14630, 14631	630, 631	Niue Is.: Navigational Aids, Lights
87/07	T	21, 23, 25, 45, 48	640, 641, 648	Taranaki Westwards: Drilling Operations
95/07	T			Maritime Safety Broadcasts
97/07	T	45, 48		S. Taranaki Bight: Waverider Buoy
100/07	P	4265		Kaipara Hr.: Lights, Buoys and Beacons
101/07	T	68, 69, 681		S. Island, Riverton Hr.: Light
109/07	T	56, 561, 5612		Napier Hr.: Breakwater Light
113/07	P	21, 23, 25, 45, 48	640, 641, 648	Cape Egmont Westwards: FPSO Umuroa
116/07	T	512, 5124, 5125		Bay of Islands, Waitangi: Directional Light
117/07	T	5215		Whangarei Hr.: Beacon
127/07	P	45, 48		S. Taranaki Bight: Platform Installation
133/07	T	56, 561		Napier, Awatoto: Current Meter
135/07	T	43, 443		N. Taranaki Bight, Waitara Northwards: Drilling Operations
143/07	T	48, 61		S. Island, N. Coast, Golden Bay: Buoy
144/07	T	6321		Lyttelton Harbour: Works in Progress
146/07	T	6821		Bluff Harbour: Beacon, Buoy.

NZ 137/07 BRITISH ADMIRALTY PUBLICATIONS – New Edition Published.

<i>NP No.</i>	<i>Title</i>	<i>Date</i>	<i>Remarks</i>
NP 285	Admiralty List of Radio Signals. Global Maritime Distress and Safety System (GMDSS) Edition 2007/08.	21/06/07	Corrections accrued whilst the publication was in the press from Week 13/07 to Week 25/07 inclusive, are issued in Section VI of the weekly edition of Admiralty Notices to Mariners Edition 25/07. NP285 2006/07 edition is thereby cancelled.

UKHO Weekly Edition 25/07
NI 159/2007

NZ 138/07 NEW ZEALAND – North Island – West Coast – North Taranaki Bight – Waitara Northwards – Protected Area.


Certain copies only :

Chart NZ 443 [131/07]

Substitute *Protected Area for Precautionary Area*

38° 56'.3S., 174° 18'.2E.

Land Information New Zealand
 NI 152/2007



<i>Issued as a guide to chart correction.</i>		<i>Use in conjunction with the appropriate NZ Notice to Mariners.</i>	
LAST CORRECTION	NZ NTM No.	CHART No.	
NZ 131/07	NZ 138/07	NZ 443	

NZ 139/07 SOUTH PACIFIC OCEAN – Tonga – Nuku’alofa – Lights.

Chart NZ 8275 (T 8275) [NE Apr 07]

Insert ★ Fl.R.3s3m4M 21° 08'.26S., 175° 10'.57W.


Amend elevation of light to 3m 21° 07'.10S., 175° 10'.09W.

Chart NZ 8275 (T 8275) (plan, Nuku’alofa Wharves)


Amend light to Fl.G.3s3m4M 21° 08'.28S., 175° 10'.61W.

Amend light to Fl.R.3s3m4M 21° 08'.26S., 175° 10'.57W.

Tongan Defence Service
 BA Light List K4648, 4649.2, 4649.25
 NI 136/2007



<i>Issued as a guide to chart correction.</i>		<i>Use in conjunction with the appropriate NZ Notice to Mariners.</i>	
LAST CORRECTION	NZ NTM No.	CHART No.	
NE Apr 07	NZ 139/07	NZ 8275 (T 8275)	



<i>Issued as a guide to chart correction.</i>		<i>Use in conjunction with the appropriate NZ Notice to Mariners.</i>	
LAST CORRECTION	NZ NTM No.	CHART No.	
NE Apr 07	NZ 139/07	NZ 8275 (T 8275)	

NZ 140/07 SOUTH PACIFIC OCEAN – Tonga – Home Reef – Volcanic Island.

Chart NZ 82 (T 82) [103/05]

Insert • (a) 18° 59'.8S., 174° 46'.0W.
 and extend danger circle SE to enclose
 legend, Volcanic Island (2006), adjacent to (a) above

Chart NZ 14060 (INT 60) [47/07]

Substitute • for + 19° 00'S., 174° 49'W.

Chart NZ 14061 (INT 61) [47/07]

Substitute • for + 19° 00'S., 174° 49'W.

Chart NZ 14605 (INT 605) [47/07]

Substitute legend, Volcanic Island (2006) for *Volcanic Activity (1984)* 19° 03'S., 174° 29'W.
 • for + 18° 59'S., 174° 46'W.


Chart NZ 14606 (INT 606) [181/06]

Substitute legend, Volcanic Island (2006) for *Volcanic Activity (1984)* 19° 03'S., 174° 29'W.
 • for + 18° 59'S., 174° 46'W.



Chart NZ 14631 (INT 631) [28/05]

Insert • 18° 59'.8S., 174° 46'.0W.
 and extend danger circle SE to enclose and join
 to danger circle close SE
 Substitute legend, Volcanic Island (2006) for *Volcanic Activity (1984)* 18° 59'.4S., 174° 36'.5W.


Tongan Defence Service
 NI 138/2007




<i>Issued as a guide to chart correction. Use in conjunction with the appropriate NZ Notice to Mariners.</i>		
LAST CORRECTION	NZ NTM No.	CHART No.
NZ 103/05	NZ 140/07	NZ 82 (T 82)




<i>Issued as a guide to chart correction. Use in conjunction with the appropriate NZ Notice to Mariners.</i>			<i>Issued as a guide to chart correction. Use in conjunction with the appropriate NZ Notice to Mariners.</i>		
LAST CORRECTION	NZ NTM No.	CHART No.	LAST CORRECTION	NZ NTM No.	CHART No.
NZ 47/07	NZ 140/07	NZ 14060 (INT 60)	NZ 47/07	NZ 140/07	NZ 14061 (INT 61)



<i>Issued as a guide to chart correction.</i>		<i>Use in conjunction with the appropriate NZ Notice to Mariners.</i>
LAST CORRECTION	NZ NTM No.	CHART No.
NZ 47/07	NZ 140/07	NZ 14605 (INT 605)



<i>Issued as a guide to chart correction.</i>		<i>Use in conjunction with the appropriate NZ Notice to Mariners.</i>
LAST CORRECTION	NZ NTM No.	CHART No.
NZ 181/06	NZ 140/07	NZ 14606 (INT 606)



<i>Issued as a guide to chart correction.</i>		<i>Use in conjunction with the appropriate NZ Notice to Mariners.</i>	
LAST CORRECTION	NZ NTM No.	CHART No.	
NZ 28/05	NZ 140/07	NZ 14631 (INT 631)	

**NZ 141(T)/07 NEW ZEALAND – North Island – East Coast – Waitemata Harbour – Devonport Naval Base
– Works Complete.**

Former notice – NZ 167(T)/06 is cancelled.

Cancel this notice on receipt.

Chart formerly affected – NZ 5322

Auckland Regional Council
NI 161/2007

**NZ 142(T)/07 NEW ZEALAND – North Island – East Coast – Cook Strait to East Cape Northwards –
Seismic Surveys.**

Former notice – NZ 85(T)/07 is cancelled.

Cancel this notice on receipt.

**Charts formerly affected – NZ 22 (INT 639) – NZ 23 (INT 640) – NZ 25 (INT 648) – NZ 26 – NZ 46 – NZ 54 –
NZ 55 – NZ 56 – NZ 58 – NZ 62 – NZ 223F – NZ 561 – NZ 5612 – NZ 14060 (INT 60) – NZ 14600 (INT 600)
– NZ 14605 (INT 605)**

Pogo Producing Company
NI 160/2007

NZ 143(T)/07 NEW ZEALAND – South Island – North Coast – Golden Bay – Meteorological and Oceanographic Buoy.

1. A meteorological and oceanographic buoy, FI(5)Y.20s, has been laid in position 40° 41'.10S., 172° 55'.27E until further notice.
2. Mariners are requested to exercise caution when navigating in the area.

Charts temporarily affected – NZ 48 – NZ 61

NIWA
NI 162/2007

NZ 144(T)/07 NEW ZEALAND – South Island – East Coast – Banks Peninsula – Lyttelton Harbour – Works in Progress.

1. Until the end of December 2007, maintenance work is being carried out under Cashin Quay, No2 Wharf, Oil Berth and Z Wharf at the Port of Lyttelton.
2. Personnel will be working from small punts underneath the wharf areas between 0700 and 1700, Monday to Friday.
3. Mariners are requested to contact Lyttelton Harbour Radio on VHF CH 12 for position of punts and are advised to adjust their speed in the vicinity of the punts to minimize vessel wake.

Chart temporarily affected – NZ 6321

Lyttelton Port Company
NI 151/2007

NZ 145(T)/07 SOUTH PACIFIC OCEAN – Tonga – Nuku’alofa Harbour – Fishing and Anchoring Prohibited Area.

Former notice – NZ 149(P)/06 is cancelled.

Cancel this notice on receipt.

Charts formerly affected – NZ 827 (T 827) – NZ 8275 (T 8275)

Land Information New Zealand
NI 149/2007

NZ 146(T)/07 NEW ZEALAND – South Island – South Coast – Bluff Harbour – Beacon, Buoy.

1. The Argyle beacon Q(2)R.5s5m3M (46° 36'.03S., 168° 21'.32E) has been damaged and replaced with a temporary unlit buoy until further notice.
2. Mariners are requested to navigate with caution in the area.

Chart temporarily affected – NZ 6821

South Port New Zealand Ltd
NZ Light List K4410
NI 163/2007

III

CORRECTIONS TO NEW ZEALAND LIGHT LIST
(NZ NTM Edition No.14 dated 6 July 2007)

NEW ZEALAND NAUTICAL ALMANAC 2007/08
LIGHT LIST SECTION

3897	- Entrance Ldg Lts 288° 17'. Front	37 12.26 175 52.98 *	F R	10	4	Grey concrete post	Neon □
					*		
3897.1	--Rear. 18m from front	37 12.18 175 52.68 *	F R	12	4	Grey concrete post	Neon □
					*		
4180	Cape Farewell. Pillar Point (M)	40 30.18 172 42.82 *	Fl.W.5s	166	9	White metal tower 4	fl 1
4184	Remove from list DELETED						
4410	-Argyle Beacon	46 36.03 168 21.32 *	Q(2)R 5s	5	3	Red □ on red pile beacon	fl 0.3, ec 0.7, fl 0.3, ec 3.7 Destroyed; unlit buoy in situ (T) 2007
							*

(NI 154, 158, 163/2007)

IV

CORRECTIONS TO PUBLICATIONS

(NZ NTM Edition No.14 dated 6 July 2007)

AMENDMENTS TO ADMIRALTY SAILING DIRECTIONS

NP 13 Australia Pilot Volume I (2005 Edition)

Western Australia - Carnarvon — Lights

259

Paragraph 7.66 3 line 3 *Insert:*

Babbage Island Light (24°52'·6S 113°37'·9E) (steel lattice tower, 16 m in height).

Paragraph 7.67 1 lines 3-5 *Replace by:*

...bearing 090° of Babbage Island Light, exhibited from the NW end of the island leads...

Paragraph 7.69 1 line 2 *Replace by:*

Carnarvon Jetty Light (steel pole, 5 m in...

Paragraph 7.69 1 lines 4-5 *Delete*

DPI, Western Australia

(A242304)

[BA 21/07]

NP 13 Australia Pilot Volume I (2005 edition)

Northern Territory - Bromby Islets — Light buoy

108

Paragraph 2.210 3 line 3 *Replace by:*

...side. A light buoy (east cardinal) marks the limit of shoal water extending E from the islet; thence:

AMSA ATH 07/23

(A242489)

[BA 22/07]

NP 15 Australia Pilot Volume III (2005 edition)

Australia - Queensland - Sandy Cape — Racon

148

Paragraph 5.40 1 line 2 *Delete*

Australian Notice 26/1289P/06

(A225914)

[BA 22/07]

Australia - Queensland - Pialba — Radio Mast

157

After Paragraph 5.106 2 line 8 *Insert:*

Radio Mast (25°18'·2S 152°47'·3E).

Australian Notice 26/1271/06

(A225910)

[BA 22/07]

Australia - Queensland - Gladstone — Navaid

168

After Paragraph 5.187 3 line 8 *Insert:*

Leading Light beacons astern:

Front Light beacon (pile) (23°50'·2S 151°16'·2E), standing ½ cable NW of Barney Point.

Rear Light beacon (metal tower 6 m in height) (1¼ cables from front beacon).

Paragraph 5.187 4 lines 1-2 *Replace by:*

The alignment (314° ahead/134° astern) of the above light beacons leads NW, passing (positions from Front C5 Light Beacon):

After Paragraph 5.188 1 *Insert:*

Targinie Channel Leading Light beacons ahead:

Front light beacon (pile) (23°46'·9S 151°10'·0E), standing about 4½ cables NW of Fishermans Landing wharves.

Rear light beacon (metal tower 9 m in height) (8 cables NW of front beacon).

Paragraph 5.188 2 line 1 *Replace by:*

Targinie Channel Leading Light beacons astern:

Paragraph 5.188 3 line 1 *Replace by:*

The alignment (293½° ahead/113½° astern), of the above...

Paragraph 5.188 4 lines 2-3 *Replace by:*

...(which dries 2·4 m) lies at the extremity of a drying...

169

Paragraph 5.188 4 lines 6-8 *Replace by:*

Between T1 Light Beacon (starboard hand) and T2 Light Buoy (port hand) (1¼ miles WNW), marking the extent of shoal water N and S of the channel; thence:

Between T3 and T4 Light Beacons (lateral) (1¾ miles WNW). An isolated shoal patch lies close SW of T4 Light Beacon. Thence:

Paragraph 5.188 5 lines 1-3 *For* T1 *Read* T5; *For* T4 *Read* T6.

Paragraph 5.188 6 lines 1-4 *For* T3 *Read* T7; *For* T6 *Read* T8; *For* T8 *Read* T10.

Australian Notice 25/1239P/06

(A225950 and A218628)

[BA 22/07]

Australia - Queensland - East Strait Island — Leading light

378

Paragraph 13.80 5 lines 5-6 *Replace by:*

Rear light (red and white chequered GRP hexagonal tower, 15 m in height)...

AMSA Notice ATH2007/26

(A243982)

[BA 22/07]

IV

NP 100 The Mariner's Handbook (2004 Edition)

Marine farms — Caution

71

Paragraph 3.119 6 line 5 *Replace by:*

...associated moorings, which may extend more than 1 mile from the structure, and which are often uncharted.

Norwegian Notices 452-455/07
United Kingdom Hydrographic Office
(*HH. 073/200/05*)

[BA 22/07]

(NI 153/07)

CORRECTIONS TO NEW ZEALAND NAUTICAL ALMANAC (NZ 204) 2007/08 Edition

Page 256, Port Operators

Table header, column one, amend **Standard Port** to **Port/Region**.

Insert between **BLUFF** and **DUNEDIN & PORT CHALMERS**

CHATHAM ISLANDS	Chatham Islands Ports Ltd	P O Box 65, Chatham Islands, 8942	+64 3 305 0066	+64 3 305 0248
------------------------	---------------------------	-----------------------------------	----------------	----------------

Page 257, Harbour Masters

Insert between **AUCKLAND** and **GISBORNE**

CHATHAM ISLANDS	P O Box 24, Chatham Islands, 8942 info@cic.govt.nz	+64 3 305 0033	+64 3 305 0044
------------------------	---	----------------	----------------

Amend email address for **TAURANGA** to harbourmaster@envbop.govt.nz

Amend email address for **WHAKATANE** to BrianS@envbop.govt.nz

(NI 150/07)

V

NAVIGATIONAL WARNINGS

Navarea XIV warnings in force 4 July 2007

NAVAREA XIV

(South West Pacific)

- 005/07 SOUTH PACIFIC OCEAN. TONGA. VOLCANIC ACTIVITY. INT CHART 605
1. A new active volcanic island is reported in position 18 59S, 174 46W.
 2. Vessels advised to navigate with caution in this area.
- 010/07 SOUTH PACIFIC. FIJI LIGHTS. INT CHART 638
- Following light reported unlit: Navula Point K4706 17 53.2S 177 15.2E.
- 026/07 SOUTH PACIFIC. MARQUESIAN ARCHIPELAGO - TUAMOTU ARCHIPELAGO - GAMBIER ARCHIPELAGO. SOUTHERN ISLANDS. INT CHART 607
1. Since 080100 UTC JUN 07 local radio station, Mahina Radio, is unable to transmit on channel 2182 KHz.
 2. Channel 8291 KHz is operational for watch distress alerts.
 3. Meteorological forecast and navigational warnings are broadcast on channels 2620 KHz and 8803 KHz at scheduled times. There is no alert broadcast on 2182 KHz.
 4. Navigators are requested to report all distress alerts to Maritime Rescue Coordination Center Papeete via MRCC Papeete telephone 689 465316, Inmarsat-C 582 422 799 192, email mrccpapeete@mail.pf
- 029/07 SOUTH PACIFIC. SOCIETY ARCHIPELAGO, TAHITI ISLAND, PAPEETE HARBOUR ENTRANCE. INT CHART 607
1. From 260500 UTC JUN 07 to 111500 UTC DEC 07 explosive and diving operations will be conducted each day from 0500 UTC to 1500 UTC.
 2. During these times all nautical and underwater activities are prohibited within a 200 metre radius centred on 17 32.118S 149 35.127W.
 3. Temporary buoys will be laid during times of operations. Two special marks, FI(4)10s outside the lagoon and two conical marks inside the lagoon.
 4. During explosive operations the entrance to the prohibited area will be marked by a floating barrier and a patrol vessel will be present.
 5. In case of difficulty, mariners are advised to contact Papeete Harbour on VHF channel 12 or MRCC Papeete telephone +689 465316.
 6. Cancel this message on 111505 UTC DEC 07.

VI

CORRECTIONS TO ADMIRALTY LIST OF RADIO SIGNALS

(NZ NTM Edition No.14 dated 6 July 2007)

Nil
