

NEW ZEALAND NOTICES TO MARINERS

Notices **NZ 65 – 70**

© Crown Copyright 2009. All rights Reserved. Permission is not required to make analogue copies of these Notices but such copies are not to be sold.

CONTENTS

- I [Explanatory Notes.](#)
 - II [New Zealand Notices to Mariners.](#)
 - III [Corrections to New Zealand Light List.](#)
 - IV [Corrections to Sailing Directions and New Zealand Publications.](#)
 - V [Navigational Warnings. \(NAVAREA XIV\)](#)
 - VI [Corrections to Admiralty List of Radio Signals.](#)
-

New Zealand Notices to Mariners are the authority for correcting New Zealand charts within the New Zealand area of charting responsibility as shown in Notice No. 1.

Mariners are requested to immediately inform Land Information New Zealand, Private Box 5501 Wellington 6145, New Zealand Phone : 0800 665 463 or (04) 460-0110 Fax: (04) 460-0161 or e-mail: info@linz.govt.nz, of the discovery of new or suspected dangers to navigation, or shortcomings in charts and publications.

Changes or defects in aids to navigation should be reported to the Rescue Coordination Centre New Zealand (RCCNZ) via the nearest New Zealand Coastal Maritime Radio Station Phone : (04) 577-8030 Fax : (04) 577-8038 or (04) 577-8041 e-mail: rccnz@maritimenz.govt.nz.

Copies of these Notices can be obtained from Land Information New Zealand, Maritime New Zealand, Principal Chart Agents at the major ports of New Zealand and the Internet: <http://www.linz.govt.nz>

EXPLANATORY NOTES

Charts. The notices in Section II give instructions for the correction of charts. Geographical positions refer to the largest scale chart unless otherwise stated. They are normally given in degrees, minutes and decimals of a minute, but may occasionally quote seconds for convenience when plotting from the graduation of some older-style charts. Bearings are true reckoned clockwise from 000° to 359°; those relating to lights are given as seen by an observer from seaward. Symbols referred are those shown in publication Chart 5011 (*INT 1*) Symbols and Abbreviations used on Admiralty Charts, published by the United Kingdom Hydrographic Office.

Alterations to depth contours, deletion of depths to make way for new detail, etc. are not mentioned unless they have some navigational significance.

Blocks or notes accompanying notices in Section II are placed after Section VI.

Temporary and Preliminary Notices. These are indicated by (T) or (P) after the notice number. A list of (T) and (P) Notices in force is published in the fortnightly Editions of Notices to Mariners. Charts are not corrected for them before issue; they should be corrected in pencil on receipt.

Light Lists. The detailed correction to the Light List is given in Section III and may not be published in the same edition as the chart correcting notice. The entire entry for each light is printed, and an asterisk (*) is shown under the column which contains an amendment. In the case of a new light, an asterisk (*) appears under all the columns. New and extensively altered entries are intended to be pasted in. It is recommended that a manuscript entry be made for all shorter corrections.

It is emphasized that the List of Lights is the authority for lights and that many alterations, especially those of a temporary but operational nature, may only be promulgated as corrections to the List of Lights.

Radio Signals. When radio signals are affected by a notice the Admiralty List of Radio Signals reference number is quoted. The detailed correction to the List of Radio Signals is given in Section VI and may be published in a later edition than the chart correcting notice.

Sailing Directions. Corrections to Sailing Directions are given in Section IV. It is recommended that such corrections be kept together in a file with the latest list of those in force on top. The file can then be consulted when using the parent book to see if any notices affecting the area under consideration are extant.

Corrections should not be pasted into the parent book or Supplement as corrections may be issued between closing date and issue of a new Supplement. These will be embodied in the text of the following Supplement. A summary of corrections in force will be issued in Section IV of the Fortnightly Edition at monthly intervals.

New Zealand Publications. Corrections to New Zealand Publications are given in Section IV.

Correction of Charts and Publications by the User. New Zealand Notices to Mariners contain important information and should be used to keep the specified charts and books up to date.

THE USE OF CHARTS AND ASSOCIATED PUBLICATIONS

Reliance on Charts and Associated Publications. While every effort is made to ensure the accuracy of the information on New Zealand charts and other publications, it should be appreciated that it may not always be complete and up to date. The mariner must be the final judge of the reliance to be placed on the information given, bearing in mind their particular circumstances, local pilotage guidance and the judicious use of available navigational aids.

Charts. Charts should be used with prudence: there are areas where the source data are old, incomplete or of poor quality. The mariner should use the largest scale appropriate for his particular purpose; apart from being the most detailed, the larger scales are usually corrected first. When extensive new information (such as a new hydrographic survey) is received, some months may elapse before it can be fully incorporated in published charts. On small scale charts of ocean areas where hydrographic information is, in many cases, still sparse, charted shoals may be in error as regards position, least depth and extent. Undiscovered dangers may exist, particularly away from well-established routes.

Further guidance. The Mariner's Handbook (NP 100) gives a fuller explanation of the limitations of charts. All users should study it in their own interest.

II

NUMERICAL INDEX OF CHARTS AFFECTED (NZ NTM Edition No.5 dated 6 March 2009)

NZ Chart No.	NZ Notices	INT Chart No.	Notices
NZ 23 NZ 25 NZ 45 NZ 46 NZ 61 NZ 64 NZ 66 NZ 443 NZ 561 NZ 4432 NZ 5411 NZ 5412 NZ 5612	NZ 69(T) NZ 69(T), 70(T) NZ 69(T) NZ 69(T) NZ 69(T) NZ 70(T) NZ 70(T) NZ 67, NZ 69(T) NZ 68(T) NZ 67 NZ 66 NZ 66 NZ 68(T)	INT 640 INT 648	NZ 69(T) NZ 69(T), 70(T)
ENC Cell	Notices		

II

NEW ZEALAND TEMPORARY AND PRELIMINARY NOTICES IN FORCE

(NZ NTM Edition No.5 dated 6 March 2009)

NZ Notice	T/P	Charts Affected		Locality and Subject
		NZ	INT	
133/01	T	6612		Otago Hr.: Shoaling
180/03	T	6154		Picton Hr.: Shoal Depths.
129/04	T	52, 53, 522, 5227		Hauraki Gulf: Dredging Operations
194/04	P	46, 48, 61, 463, 614, 6151, 6152, 6153, 6154		Marlborough Sounds: Use of Automated Navigation Systems
110/05	T	8248		Tonga: Light Unlit
161/05	P	4633, 4634		Wellington Hr.: Navigation Safety Bylaw
173/05	T	53, 54, 531, 534, 5318		Whitianga Hr.: Sandbar
36/06	T	5215		Whangarei Hr.: Shoaling
176/06	T	23, 26, 56, 14060, 14600	60, 600, 640	N. Island, E. Coast: Scientific Instruments
177/06	T			Indian Ocean: Operation 'Enduring Freedom'
205/06	T	532, 5324		Tamaki Strait: Motuihe Is.: E. Cardinal Lt Beacon
213/06	P	6153, 6154		Picton Hr.: Lights
244/06	T	23, 25, 63, 64	640, 648	Lyttelton Hr.: Waverider Buoy
37/07	T	53, 532, 533, 5327		Firth of Thames: Moorings, Research Instruments
56/07	T	73		Jackson Bay: Dolphin Monitoring Sensors
63/07	T	4633		Wellington Hr.: Race Marker Buoys
80/07	T	845, 14630, 14631	630, 631	Niue Is.: Navigational Aids, Lights
219/07	P	54, 542		Bay of Plenty, Opotiki: Fish Haven
20/08	T	54, 542		Bay of Plenty: Research Instruments
35/08	T	614		Motueka River: Current Meter
91/08	P	4424		W. Coast, Taharoa Hr.: Hr. Limits
98/08	T	7142		Greymouth Hr.: Depths
131/08	T	68, 69, 681		Foveaux Strait, Ruapuke Is.: Seabed Obstruction
132/08	T	14051, 14052, 14060, 14061, 14604, 14605, 14606, 14607, 14629	51, 52, 60, 61, 604, 605, 606, 607, 629	North, South Pacific Ocean: ATLAS Buoys
147/08	T	6321		Lyttelton Hr.: Works in Progress
216/08	T	45, 48		S. Taranaki Bight: Drilling Operations
221/08	T	61, 614		Tasman Bay & Golden Bay: Spat Catching Areas
233/08	T	61, 614		Golden Bay: Spat Catching Area
237/08	T	632, 6321		Lyttelton Hr.: Buoys, Lights
241/08	T	512, 521, 522, 5113, 5114, 5121, 5214		Rangaunu Bay, Doubtless Bay, Whangaroa Bay, Matauri Bay & Bream Bay: Scientific Moorings
243/08	P	5612		Napier Hr.: New Wharf Development
244/08	P	632, 6321		Banks Peninsula: Mussel Farms
245/08	P	614		Tasman Bay: Mussel Farm
251/08	T	522, 5225		Great Barrier Island: Beacon, Light
252/08	T	512, 521, 5125, 5214, 5215		Bay of Islands, Whangarei & Bream Bay: Scientific Moorings
255/08	T	4314		Manukau Hr.: Depths
258/08	T	63, 64		Lyttelton Hr.: Works in Progress
259/08	T	5225		Great Barrier Island: Marine Farm
262/08	T	2411		Snares Islands/Tini Heke: Seabed Obstruction
24/09	P	5215		Whangarei Hr.: Lights, Beacons
27/09	T	46, 48, 463, 615		Cook Strait: Scientific Moorings
33/09	T			Maritime Safety Broadcasts
39/09	T	4314, 4315		Manukau Hr.: Light Beacons, Buoys
45/09	T	5214		Marsden Point: Works in Progress
48/09	T	6321		Sumner Head: Buoy
50/09	T	661		Approaches to Otago Hr.: Works in Progress
51/09	T	7142		Greymouth Hr.: Depths
59/09	T	5332, 5321		Whangaparaoa: Scientific Instruments
60/09	T	5612		Napier Harbour: Light
61/09	T	43, 48, 443		North Taranaki Bight: Underwater Operations
62/09	T	61, 614		Golden Bay: Scientific Mooring

NZ 65/09 NEW ZEALAND PUBLICATIONS – Raster Navigational Charts.

LINZ Raster Navigational Charts

From 4 March 2009, the NZMariner February 2009 Update file will be available from the LINZ website www.linz.govt.nz/hydro/nzmariner.

NZMariner Raster Navigational Charts (RNC) can only be used in conjunction with compatible viewing software called Electronic Charting Systems (ECS).

For compliance with New Zealand legal requirements for nautical charts and publications please refer to Maritime Rules Part 25, as supported by Maritime New Zealand Marine Guidance Notice 8 "Use of Electronic Charts, ECDIS and ENC's in NZ" available from the Maritime New Zealand website www.maritimenz.govt.nz.

Paper copies of Official New Zealand Charts can be purchased from LINZ chart retailers.

Further details can be found in the New Zealand Nautical Almanac (NZ204), Annual New Zealand Notices to Mariners, No.1 and on the LINZ website www.linz.govt.nz

Land Information New Zealand
NI 50/2009

NZ 66/09 NEW ZEALAND – North Island – East Coast – Tauranga Harbour – Beacon.


Chart NZ 5411 [42/09]

Substitute  WC14, FI(2+1)R.10s for  WC14
RGR RGR 37° 38'.86S., 176° 06'.90E.


Chart NZ 5412 [42/09] (Plan, Western Channel)

Substitute  WC14, FI(2+1)R.10s for  WC14
RGR RGR 37° 38'.862S., 176° 06'.895E.

Northland Regional Council
NZ Light List 3919.303
NI 41/2009



<i>Issued as a guide to chart correction. Use in conjunction with the appropriate NZ Notice to Mariners.</i>		
LAST CORRECTION	NZ NTM No.	CHART No.
NZ 42/09	NZ 66/09	NZ 5411



<i>Issued as a guide to chart correction.</i>		<i>Use in conjunction with the appropriate NZ Notice to Mariners.</i>
LAST CORRECTION	NZ NTM No.	CHART No.
NZ 42/09	NZ 66/09	NZ 5412

NZ 67/09 NEW ZEALAND – North Island – West Coast – Taranaki – Marine Reserve.

Chart NZ 443 [240/08]

Insert marine reserve, ^{TTTT} MR ^{TTTT}, joining

39° 04'.17S., 174° 01'.10E.
(a) 39° 02'.73S., 174° 00'.08E.
(b) 39° 05'.03S., 173° 57'.63E.
39° 05'.91S., 173° 58'.68E.

 Fl(5)Y.20s

(a) above

Y

 Fl(5)Y.20s

(b) above

Y



39° 04'.88S., 173° 58'.30E.

legend, Marine Reserve

39° 04'.28S., 173° 59'.65E.

Chart NZ 4432 [32/09]

Insert marine reserve, ^{TTTT} MR ^{TTTT}, joining

39° 04'.17S., 174° 01'.10E.
(a) 39° 02'.73S., 174° 00'.08E.
39° 04'.50S., 173° 58'.20E.

 Fl(5)Y.20s

(a) above

Y



39° 03'.17S., 174° 00'.11E.



39° 04'.25S., 173° 59'.54E.

legend, Marine Reserve

39° 03'.85S., 173° 59'.61E.

Chart NZ 4432 [32/09] (plan, Port Taranaki)

Note: No Tracing Attached

Insert marine reserve, ^{TTTT} MR ^{TTTT}, joining

39° 03'.900S., 174° 00'.910E.
(a) 39° 02'.733S., 174° 00'.080E.
39° 02'.930S., 173° 59'.870E.

 Fl(5)Y.20s

(a) above

Y




39° 02'.920S., 174° 00'.100E.




39° 03'.700S., 174° 00'.300E.

legend, Marine Reserve

39° 03'.220S., 174° 00'.200E.



<i>Issued as a guide to chart correction.</i>		<i>Use in conjunction with the appropriate NZ Notice to Mariners.</i>
LAST CORRECTION	NZ NTM No.	CHART No.
NZ 240/08	NZ 67/09	NZ 443



<i>Issued as a guide to chart correction.</i>		<i>Use in conjunction with the appropriate NZ Notice to Mariners.</i>
LAST CORRECTION	NZ NTM No.	CHART No.
NZ 32/09	NZ 67/09	NZ 4432

**NZ 68(T)/09 NEW ZEALAND – North Island – East Coast – Napier Harbour – Dredging Operations
Complete.**

Former notice – NZ 37(T)/09 is cancelled.

Cancel this notice on receipt.

Charts formerly affected – NZ 561 – NZ 5612

Hawke's Bay Regional Council
NI 56/2009

**NZ 69(T)/09 NEW ZEALAND – North Island – West Coast – South Taranaki Bight – Seismic Surveys
Complete.**

Former notice – NZ 64(T)/09 is cancelled.

Cancel this notice on receipt.

Charts formerly affected – NZ 23 (INT 640) – NZ 25 (INT 648) – NZ 45 – NZ 46 – NZ 61 – NZ 443

NZ Oil and Gas
NI 55/2009

**NZ 70(T)/09 NEW ZEALAND – South Island – East Coast – Otago Peninsula – Seismic Surveys
Complete.**

Former notice – NZ 261(T)/08 is cancelled.

Cancel this notice on receipt.

Charts formerly affected – NZ 25 (INT 648) – NZ 64 – NZ 66

Origin Energy Resources NZ Ltd
NI 54/2009

III

CORRECTIONS TO NEW ZEALAND LIGHT LIST

(NZ NTM Edition No.5 dated 6 March 2009)

3919.303	- WC14	37 38.86	FI(2+1)R 10s	Red ☐ on pile beacon
*	*	176 06.90	*	*

(NI 53/2009)

IV

CORRECTIONS TO PUBLICATIONS

(NZ NTM Edition No.5 dated 6 March 2009)

Nil

V

NAVIGATIONAL WARNINGS

Navarea XIV warnings in force 4 March 2009

NAVAREA XIV

(South West Pacific)

085/08 SOUTH PACIFIC. VOLUNTARY SHIP REPORTING SYSTEM IN THE NEW ZEALAND SEARCH AND RESCUE AREA SOUTH OF 60° SOUTH.

1. The New Zealand Search and Rescue Authorities have established a voluntary ship reporting system for all vessels operating in the NZSAR region South of 60° South for the purposes of assisting the SAR Authority in coordinating SAR operations in that area.
2. Area covered: 60°S to the southern edge of the Ross Sea bounded by 163° E. to 131°W.
3. All vessels are requested to notify Taupo Maritime Radio on entry and departure into the area and are also encouraged to make daily position reports. Information provided will be used for SAR purposes only.
4. Taupo Maritime Radio can be contacted on INMARSAT C 582 451 200 067, hf, email maritime@kordia.co.nz or 00 64 4 914 8333.

002/09 RADIO SERVICES.

Mariners are advised that NAVAREA XIV R/T broadcasts from Taupo Maritime Radio (ZLM) will be made at the following times:

0303, 0333, 0903, 1003, 1503, 1533, 2103, 2203 UTC.

003/09 SOUTH PACIFIC OCEAN. WESTERN SAMOA. MULIFANUA HARBOUR.
CHART NZ 865 (INT 631).

Shoals Located:

- | | |
|---------------|---|
| 1. 3.1 Metres | 13-48.61S 172-02.61W. Undetermined Datum
(13-49.07S 172-02.94W. WGS84 Datum) |
| 2. 2.1 Metres | 13-48.66S 172-02.62W. Undetermined Datum
(13-49.12S 172-02.95W. WGS84 Datum) |

VI

CORRECTIONS TO ADMIRALTY LIST OF RADIO SIGNALS (NZ NTM Edition No.5 dated 6 March 2009)

VOLUME 3, PART 2, NP 283(2), 2009/10

Published BA Wk 5/09
(Last Amendments: Weekly Edition No. 8 dated 19 February 2009)

SAFETYNET

PAGE 22, diagram SafetyNET, METAREA X - POR & IOR, AUSTRALIA, COASTAL WATERS FORECAST BULLETINS table, POR Bass Strait.
Delete row and replace by:

POR	Bass Strait	D	0510 1700 LST	0700 ¹ 1910 ¹
-----	-------------	---	---------------	-------------------------------------

Bureau of Meteorology (HH080/021/21 - E27) 9/09

VOLUME 5, NP 285, 2008/09

Published BA Wk 22/08
(Last Amendments: Weekly Edition No. 8 dated 19 February 2009)

CHAPTER 14: SAFETYNET

PAGE 228, diagram SafetyNET, METAREA X - POR & IOR, AUSTRALIA, COASTAL WATERS FORECAST BULLETINS table, POR Bass Strait.
Delete row and replace by:

POR	Bass Strait	D	0510 1700 LST	0700 ¹ 1910 ¹
-----	-------------	---	---------------	-------------------------------------

Bureau of Meteorology (HH080/021/21 - E27) 9/09

(NI 53/2009)

(BA Wk 09/2009)